

SÖDBÄRFORS 1676  
**DAMASTEEL**<sup>®</sup>

CUTTING EDGE. AND LOOKS TOO."

Article nr.	Dimension		Surface	Weight		Comments
	mm	inch		Kg/m	lb/ft	
<b>MARTENSITIC STAINLESS DAMASCUS DS93X™</b>						
<b>FLAT BARS, Max length flat bars 1 m (3,3 ft)</b>						
<b>DS93X™ ROSE</b>						
935,04.25.26x2,5	26x2,5	1" x .100"	Ground	0,51	0,34	
935,04.25.26x3,2	26x3,2	1" x .125"	Ground	0,65	0,44	
935,04.25.26x4	26x4	1" x .156"	Ground	0,82	0,55	
935,04.25.32x2,5	32x2,5	1 1/4" x .100"	Ground	0,63	0,42	
935,04.25.32x3,2	32x3,2	1 1/4" x .125"	Ground	0,80	0,54	
935,04.25.32x4	32x4	1 1/4" x .156"	Ground	1,00	0,68	
935,04.25.38x2,5	38x2,5	1 1/2" x .100"	Ground	0,75	0,50	
935,04.25.38x3,2	38x3,2	1 1/2" x .125"	Ground	0,95	0,64	
935,04.25.38x4	38x4	1 1/2" x .156"	Ground	1,19	0,80	
935,04.25.45x4,2	45x4,2	1 3/4" x .165"	Ground	1,48	1,00	
935,04.25.51x3,2	51x3,2	2" x .125"	Ground	1,28	0,86	
935,04.25.51x4	51x4	2" x .156"	Ground	1,60	1,08	
<b>DS93X™ ODINS EYE™</b>						
935,05.25.26x2,5	26x2,5	1" x .100"	Ground	0,51	0,34	
935,05.25.26x3,2	26x3,2	1" x .125"	Ground	0,65	0,44	
935,05.25.26x4	26x4	1" x .156"	Ground	0,82	0,55	
935,05.25.32x2,5	32x2,5	1 1/4" x .100"	Ground	0,63	0,42	
935,05.25.32x3,2	32x3,2	1 1/4" x .125"	Ground	0,80	0,54	
935,05.25.32x4	32x4	1 1/4" x .156"	Ground	1,00	0,68	
935,05.25.38x2,5	38x2,5	1 1/2" x .100"	Ground	0,75	0,50	
935,05.25.38x3,2	38x3,2	1 1/2" x .125"	Ground	0,95	0,64	
935,05.25.38x4	38x4	1 1/2" x .156"	Ground	1,19	0,80	
935,05.25.45x4,2	45x4,2	1 3/4" x .165"	Ground	1,48	1,00	
935,05.25.51x3,2	51x3,2	2" x .125"	Ground	1,28	0,86	
935,05.25.51x4	51x4	2" x .156"	Ground	1,60	1,08	
<b>DS93X™ HAKKAPELLA™</b>						
935,07.25.26x2,5	26x2,5	1" x .100"	Ground	0,51	0,34	
935,07.25.26x3,2	26x3,2	1" x .125"	Ground	0,65	0,44	
935,07.25.26x4	26x4	1" x .156"	Ground	0,82	0,55	
935,07.25.32x2,5	32x2,5	1 1/4" x .100"	Ground	0,63	0,42	
935,07.25.32x3,2	32x3,2	1 1/4" x .125"	Ground	0,80	0,54	
935,07.25.32x4	32x4	1 1/4" x .156"	Ground	1,00	0,68	
935,07.25.38x2,5	38x2,5	1 1/2" x .100"	Ground	0,75	0,50	
935,07.25.38x3,2	38x3,2	1 1/2" x .125"	Ground	0,95	0,64	
935,07.25.38x4	38x4	1 1/2" x .156"	Ground	1,19	0,80	
935,07.25.45x4,2	45x4,2	1 3/4" x .165"	Ground	1,48	1,00	
935,07.25.51x3,2	51x3,2	2" x .125"	Ground	1,28	0,86	
935,07.25.51x4	51x4	2" x .156"	Ground	1,60	1,08	
<b>DS93X™ LADDER</b>						
931,09.25.26x2,5	26x2,5	1" x .100"	Ground	0,51	0,34	
931,09.25.26x3,2	26x3,2	1" x .125"	Ground	0,65	0,44	
931,09.25.26x4	26x4	1" x .156"	Ground	0,82	0,55	
931,09.25.32x2,5	32x2,5	1 1/4" x .100"	Ground	0,63	0,42	
931,09.25.32x3,2	32x3,2	1 1/4" x .125"	Ground	0,80	0,54	
931,09.25.32x4	32x4	1 1/4" x .156"	Ground	1,00	0,68	
931,09.25.38x2,5	38x2,5	1 1/2" x .100"	Ground	0,75	0,50	
931,09.25.38x3,2	38x3,2	1 1/2" x .125"	Ground	0,95	0,64	
931,09.25.38x4	38x4	1 1/2" x .156"	Ground	1,19	0,80	
931,09.25.45x4,2	45x4,2	1 3/4" x .165"	Ground	1,48	1,00	
931,09.25.51x3,2	51x3,2	2" x .125"	Ground	1,28	0,86	
931,09.25.51x4	51x4	2" x .156"	Ground	1,60	1,08	
<b>DS93X™ DENSE TWIST™</b>						
938,02.25.26x2,5	26x2,5	1" x .100"	Ground	0,51	0,34	
938,02.25.26x3,2	26x3,2	1" x .125"	Ground	0,65	0,44	
938,02.25.26x4	26x4	1" x .156"	Ground	0,82	0,55	
938,02.25.32x2,5	32x2,5	1 1/4" x .100"	Ground	0,63	0,42	
938,02.25.32x3,2	32x3,2	1 1/4" x .125"	Ground	0,80	0,54	
938,02.25.32x4	32x4	1 1/4" x .156"	Ground	1,00	0,68	
938,02.25.38x2,5	38x2,5	1 1/2" x .100"	Ground	0,75	0,50	
938,02.25.38x3,2	38x3,2	1 1/2" x .125"	Ground	0,95	0,64	
938,02.25.38x4	38x4	1 1/2" x .156"	Ground	1,19	0,80	
938,02.25.45x4,2	45x4,2	1 3/4" x .165"	Ground	1,48	1,00	
938,02.25.51x3,2	51x3,2	2" x .125"	Ground	1,28	0,86	
938,02.25.51x4	51x4	2" x .156"	Ground	1,60	1,08	
<b>DS93X™ BJÖRKMANS TWIST™</b>						
938,52.25.26x2,5	26x2,5	1" x .100"	Ground	0,51	0,34	
938,52.25.26x3,2	26x3,2	1" x .125"	Ground	0,65	0,44	
938,52.25.26x4	26x4	1" x .156"	Ground	0,82	0,55	
938,52.25.32x2,5	32x2,5	1 1/4" x .100"	Ground	0,63	0,42	
938,52.25.32x3,2	32x3,2	1 1/4" x .125"	Ground	0,80	0,54	
938,52.25.32x4	32x4	1 1/4" x .156"	Ground	1,00	0,68	
938,52.25.38x2,5	38x2,5	1 1/2" x .100"	Ground	0,75	0,50	
938,52.25.38x3,2	38x3,2	1 1/2" x .125"	Ground	0,95	0,64	
938,52.25.38x4	38x4	1 1/2" x .156"	Ground	1,19	0,80	
938,52.25.45x4,2	45x4,2	1 3/4" x .165"	Ground	1,48	1,00	
938,52.25.51x3,2	51x3,2	2" x .125"	Ground	1,28	0,86	
938,52.25.51x4	51x4	2" x .156"	Ground	1,60	1,08	

SÖDBÄRFORS 1676  
**DAMASTEEL**

CUTTING EDGE. AND LOOKS TOO."

Article nr.	Dimension		Surface	Weight		Comments
	mm	inch		Kg/m	lb/ft	
<b>DS93X™ VINLAND™</b>						
935,06.25.26x2,5	26x2,5	1" x .100"	Ground	0,51	0,34	
935,06.25.26x3,2	26x3,2	1" x .125"	Ground	0,65	0,44	
935,06.25.26x4	26x4	1" x .156"	Ground	0,82	0,55	
935,06.25.32x2,5	32x2,5	1 1/4" x .100"	Ground	0,63	0,42	
935,06.25.32x3,2	32x3,2	1 1/4" x .125"	Ground	0,80	0,54	
935,06.25.32x4	32x4	1 1/4" x .156"	Ground	1,00	0,68	
935,06.25.38x2,5	38x2,5	1 1/2" x .100"	Ground	0,75	0,50	
935,06.25.38x3,2	38x3,2	1 1/2" x .125"	Ground	0,95	0,64	
935,06.25.38x4	38x4	1 1/2" x .156"	Ground	1,19	0,80	
935,06.25.45x3,2	45x3,2	1 3/4" x .125"	Ground	1,13	0,76	
935,06.25.45x4,2	45x4,2	1 3/4" x .165"	Ground	1,48	1,00	
935,06.25.51x3,2	51x3,2	2" x .125"	Ground	1,28	0,86	
935,06.25.51x4	51x4	2" x .156"	Ground	1,60	1,08	
<b>DS93X™ GROSSEROSEN</b>						
935,03.25.26x2,5	26x2,5	1" x .100"	Ground	0,51	0,34	
935,03.25.26x3,2	26x3,2	1" x .125"	Ground	0,65	0,44	
935,03.25.26x4	26x4	1" x .156"	Ground	0,82	0,55	
935,03.25.32x2,5	32x2,5	1 1/4" x .100"	Ground	0,63	0,42	
935,03.25.32x3,2	32x3,2	1 1/4" x .125"	Ground	0,80	0,54	
935,03.25.32x4	32x4	1 1/4" x .156"	Ground	1,00	0,68	
935,03.25.38x2,5	38x2,5	1 1/2" x .100"	Ground	0,75	0,50	
935,03.25.38x3,2	38x3,2	1 1/2" x .125"	Ground	0,95	0,64	
935,03.25.38x4	38x4	1 1/2" x .156"	Ground	1,19	0,80	
935,03.25.45x4,2	45x4,2	1 3/4" x .165"	Ground	1,48	1,00	
935,03.25.51x3,2	51x3,2	2" x .125"	Ground	1,28	0,86	
935,03.25.51x4	51x4	2" x .156"	Ground	1,60	1,08	
<b>DS93X™ HEIMSKRINGLA™</b>						
931,08.25.26x2,5	26x2,5	1" x .100"	Ground	0,51	0,34	
931,08.25.26x3,2	26x3,2	1" x .125"	Ground	0,65	0,44	
931,08.25.26x4	26x4	1" x .156"	Ground	0,82	0,55	
931,08.25.32x2,5	32x2,5	1 1/4" x .100"	Ground	0,63	0,42	
931,08.25.32x3,2	32x3,2	1 1/4" x .125"	Ground	0,80	0,54	
931,08.25.32x4	32x4	1 1/4" x .156"	Ground	1,00	0,68	
931,08.25.38x2,5	38x2,5	1 1/2" x .100"	Ground	0,75	0,50	
931,08.25.38x3,2	38x3,2	1 1/2" x .125"	Ground	0,95	0,64	
931,08.25.38x4	38x4	1 1/2" x .156"	Ground	1,19	0,80	
931,08.25.45x4,2	45x4,2	1 3/4" x .165"	Ground	1,48	1,00	
931,08.25.51x3,2	51x3,2	2" x .125"	Ground	1,28	0,86	
931,08.25.51x4	51x4	2" x .156"	Ground	1,60	1,08	
<b>DS93X™ MUNIN™</b>						
931,77.25.26x2,5	26x2,5	1" x .100"	Ground	0,51	0,34	
931,77.25.26x3,2	26x3,2	1" x .125"	Ground	0,65	0,44	
931,77.25.26x4	26x4	1" x .156"	Ground	0,82	0,55	
931,77.25.32x2,5	32x2,5	1 1/4" x .100"	Ground	0,63	0,42	
931,77.25.32x3,2	32x3,2	1 1/4" x .125"	Ground	0,80	0,54	
931,77.25.32x4	32x4	1 1/4" x .156"	Ground	1,00	0,68	
931,77.25.38x2,5	38x2,5	1 1/2" x .100"	Ground	0,75	0,50	
931,77.25.38x3,2	38x3,2	1 1/2" x .125"	Ground	0,95	0,64	
931,77.25.38x4	38x4	1 1/2" x .156"	Ground	1,19	0,80	
931,77.25.45x4,2	45x4,2	1 3/4" x .165"	Ground	1,48	1,00	
931,77.25.51x3,2	51x3,2	2" x .125"	Ground	1,28	0,86	
931,77.25.51x4	51x4	2" x .156"	Ground	1,60	1,08	
<b>DS93X™ HUGIN™</b>						
935,78.25.26x2,5	26x2,5	1" x .100"	Ground	0,51	0,34	
935,78.25.26x3,2	26x3,2	1" x .125"	Ground	0,65	0,44	
935,78.25.26x4	26x4	1" x .156"	Ground	0,82	0,55	
935,78.25.32x2,5	32x2,5	1 1/4" x .100"	Ground	0,63	0,42	
935,78.25.32x3,2	32x3,2	1 1/4" x .125"	Ground	0,80	0,54	
935,78.25.32x4	32x4	1 1/4" x .156"	Ground	1,00	0,68	
935,78.25.38x2,5	38x2,5	1 1/2" x .100"	Ground	0,75	0,50	
935,78.25.38x3,2	38x3,2	1 1/2" x .125"	Ground	0,95	0,64	
935,78.25.38x4	38x4	1 1/2" x .156"	Ground	1,19	0,80	
935,78.25.45x4,2	45x4,2	1 3/4" x .165"	Ground	1,48	1,00	
935,78.25.51x3,2	51x3,2	2" x .125"	Ground	1,28	0,86	
935,78.25.51x4	51x4	2" x .156"	Ground	1,60	1,08	
<b>DS93X™ ODIN HEIM™</b>						
931,28.25.26x2,5	26x2,5	1" x .100"	Ground	0,51	0,34	
931,28.25.26x3,2	26x3,2	1" x .125"	Ground	0,65	0,44	
931,28.25.26x4	26x4	1" x .156"	Ground	0,82	0,55	
931,28.25.32x2,5	32x2,5	1 1/4" x .100"	Ground	0,63	0,42	
931,28.25.32x3,2	32x3,2	1 1/4" x .125"	Ground	0,80	0,54	
931,28.25.32x4	32x4	1 1/4" x .156"	Ground	1,00	0,68	
931,28.25.38x2,5	38x2,5	1 1/2" x .100"	Ground	0,75	0,50	
931,28.25.38x3,2	38x3,2	1 1/2" x .125"	Ground	0,95	0,64	
931,28.25.38x4	38x4	1 1/2" x .156"	Ground	1,19	0,80	
931,28.25.45x4,2	45x4,2	1 3/4" x .165"	Ground	1,48	1,00	
931,28.25.51x3,2	51x3,2	2" x .125"	Ground	1,28	0,86	
931,28.25.51x4	51x4	2" x .156"	Ground	1,60	1,08	

SÖDBÄRFORS 1676  
**DAMASTEEL**<sup>®</sup>

CUTTING EDGE. AND LOOKS TOO."

Article nr.	Dimension		Surface	Weight		Comments
	mm	inch		Kg/m	lb/ft	
<b>DS93X™ GYSINGE™</b>						
935,17,25,26x2,5	26x2,5	1" x .100"	Ground	0,51	0,34	
935,17,25,26x3,2	26x3,2	1" x .125"	Ground	0,65	0,44	
935,17,25,26x4	26x4	1" x .156"	Ground	0,82	0,55	
935,17,25,32x2,5	32x2,5	1 1/4" x .100"	Ground	0,63	0,42	
935,17,25,32x3,2	32x3,2	1 1/4" x .125"	Ground	0,80	0,54	
935,17,25,32x4	32x4	1 1/4" x .156"	Ground	1,00	0,68	
935,17,25,38x2,5	38x2,5	1 1/2" x .100"	Ground	0,75	0,50	
935,17,25,38x3,2	38x3,2	1 1/2" x .125"	Ground	0,95	0,64	
935,17,25,38x4	38x4	1 1/2" x .156"	Ground	1,19	0,80	
935,17,25,45x4,2	45x4,2	1 3/4" x .165"	Ground	1,48	1,00	
935,17,25,51x3,2	51x3,2	2" x .125"	Ground	1,28	0,86	
935,17,25,51x4	51x4	2" x .156"	Ground	1,60	1,08	
<b>DS93X™ THOR™</b>						
935,11,25,26x2,5	26x2,5	1" x .100"	Ground	0,51	0,34	
935,11,25,26x3,2	26x3,2	1" x .125"	Ground	0,65	0,44	
935,11,25,26x4	26x4	1" x .156"	Ground	0,82	0,55	
935,11,25,32x2,5	32x2,5	1 1/4" x .100"	Ground	0,63	0,42	
935,11,25,32x3,2	32x3,2	1 1/4" x .125"	Ground	0,80	0,54	
935,11,25,32x4	32x4	1 1/4" x .156"	Ground	1,00	0,68	
935,11,25,38x2,5	38x2,5	1 1/2" x .100"	Ground	0,75	0,50	
935,11,25,38x3,2	38x3,2	1 1/2" x .125"	Ground	0,95	0,64	
935,11,25,38x4	38x4	1 1/2" x .156"	Ground	1,19	0,80	
931,11,25,45x4,2	45x4,2	1 3/4" x .165"	Ground	1,48	1,00	
935,11,25,51x3,2	51x3,2	2" x .125"	Ground	1,28	0,86	
935,11,25,51x4	51x4	2" x .156"	Ground	1,60	1,08	
<b>DS93X™ DRAUPNER™</b>						
931,13,25,26x2,5	26x2,5	1" x .100"	Ground	0,51	0,34	
931,13,25,26x3,2	26x3,2	1" x .125"	Ground	0,65	0,44	
931,13,25,26x4	26x4	1" x .156"	Ground	0,82	0,55	
931,13,25,32x2,5	32x2,5	1 1/4" x .100"	Ground	0,63	0,42	
931,13,25,32x3,2	32x3,2	1 1/4" x .125"	Ground	0,80	0,54	
931,13,25,32x4	32x4	1 1/4" x .156"	Ground	1,00	0,68	
931,13,25,38x2,5	38x2,5	1 1/2" x .100"	Ground	0,75	0,50	
931,13,25,38x3,2	38x3,2	1 1/2" x .125"	Ground	0,95	0,64	
931,13,25,38x4	38x4	1 1/2" x .156"	Ground	1,19	0,80	
931,13,25,45x4,2	45x4,2	1 3/4" x .165"	Ground	1,48	1,00	
931,13,25,51x3,2	51x3,2	2" x .125"	Ground	1,28	0,86	
931,13,25,51x4	51x4	2" x .156"	Ground	1,60	1,08	
<b>DS93X™ BIFROST™</b>						
931,16,25,26x2,5	26x2,5	1" x .100"	Ground	0,51	0,34	
931,16,25,26x3,2	26x3,2	1" x .125"	Ground	0,65	0,44	
931,16,25,26x4	26x4	1" x .156"	Ground	0,82	0,55	
931,16,25,32x2,5	32x2,5	1 1/4" x .100"	Ground	0,63	0,42	
931,16,25,32x3,2	32x3,2	1 1/4" x .125"	Ground	0,80	0,54	
931,16,25,32x4	32x4	1 1/4" x .156"	Ground	1,00	0,68	
931,16,25,38x2,5	38x2,5	1 1/2" x .100"	Ground	0,75	0,50	
93,16,25,38x3,2	38x3,2	1 1/2" x .125"	Ground	0,95	0,64	
931,16,25,38x4	38x4	1 1/2" x .156"	Ground	1,19	0,80	
931,16,25,45x3,2	45x3,2	1 3/4" x .125"	Ground	1,13	0,76	
931,16,25,45x4,2	45x4,2	1 3/4" x .165"	Ground	1,48	1,00	
931,16,25,51x3,2	51x3,2	2" x .125"	Ground	1,28	0,86	
931,16,25,51x4	51x4	2" x .156"	Ground	1,60	1,08	
<b>RWL34™ RAPIDLY SOLIDIFIED POWDER STEEL FOR KNIFE APPLICATIONS</b>						
903,00,21,35x14	35x14	1 3/8" x .550"	HR	3,85	2,58	While stock lasts
903,00,21,32x3,2	32x3,2	1 1/4" x .125"	HR	0,80	0,54	While stock lasts
903,00,21,38x2,6	38x2,6	1 1/2" x .100"	CR	0,78	0,52	
903,00,21,38x3,5	38x3,5	1 1/2" x .138"	CR	1,04	0,70	
903,00,21,38x4	38x4	1 1/2" x .156"	CR	1,19	0,80	
903,00,21,40x4	40x4	1,575" x .156"	HR	1,26	0,84	While stock lasts
903,00,21,40x5,2	40x5,2	1,575" x .205"	HR	1,63	1,10	While stock lasts
903,00,21,51x2,6	51x2,6	2" x .100"	CR	1,04	0,70	NEW
903,00,21,50x3,2	50x3,2	2" x .125"	CR	1,26	0,84	Will be superseded by 51 x 3,2
903,00,21,51x3,2	51x3,2	2" x .125"	CR	1,28	0,86	NEW
903,00,21,51x4	51x4	2" x .156"	CR	1,60	1,08	NEW
903,00,21,51x5,2	51x5,2	2" x .205"	HR	2,08	1,40	NEW
903,00,21,50x7	50x7	2" x .276"	HR	2,75	1,85	While stock lasts
903,00,21,71x3	71 x 3	2 3/4" x .118"	CR	1,67	1,12	While stock lasts

HR = Hot Rolled  
 CR = Cold Rolled

SÖDERFORS 1676  
**DAMASTEEL**<sup>®</sup>

CUTTING EDGE. AND LOOKS TOO."

Article nr.	Dimension		Surface	Weight		Comments
	mm	inch		Kg/m	lb/ft	
<b>MARTENSITIC STAINLESS DAMASCUS DS93X™</b>						
<b>ROUND BARS, Max length round bar 4 m (13 ft)</b>						
<b>DS93X™ CONCENTRIC LAYERS™</b>						
935,00.01.20	Ø 20	.790"	Smooth Turned	2,47	1,66	
935,00.01.25	Ø 25	1"	Smooth Turned	3,85	2,59	
935,00.01.33	Ø 33	1.300"	Smooth Turned	6,71	4,51	
935,00.01.50	Ø 50	2"	Smooth Turned	15,41	10,36	
<b>DS93X™ PARALLELL LAYERS™</b>						
938,00.01.11	Ø 11	.430"	Smooth Turned	0,75	0,50	
938,00.01.17	Ø 17	.670"	Smooth Turned	1,78	1,20	
938,00.01.20	Ø 20	.790"	Smooth Turned	2,47	1,66	
938,00.01.25	Ø 25	1"	Smooth Turned	3,85	2,59	
938,00.01.33	Ø 33	1.300"	Smooth Turned	6,71	4,51	
938,00.01.45	Ø 45	1 3/4"	Smooth Turned	12,48	8,39	
938,00.01.50	Ø 50	2"	Black	15,41	10,36	While stock lasts
<b>DS93X™ DENSE TWIST™</b>						
<b>Max length 2,5 m (8.2 ft)</b>						
938,02.01.11	Ø 11	.430"	Black	0,75	0,50	
938,02.01.17	Ø 17	.670"	Black	1,78	1,20	
938,02.01.20	Ø 20	.790"	Black	2,47	1,66	
938,02.01.25	Ø 25	1"	Black	3,85	2,59	
938,02.01.33	Ø 33	1.300"	Black	6,71	4,51	
938,02.01.45	Ø 45	1 3/4"	Black	12,48	8,39	
<b>DS93X™ BLUETONGUE™</b>						
<b>Max length 2,5 m</b>						
931,00.01.16	Ø 16	5/8"	Smooth Turned	1,58	1,06	
931,00.01.20	Ø 20	.790"	Smooth Turned	2,47	1,66	
931,00.01.25	Ø 25	1"	Smooth Turned	3,85	2,59	
931,00.01.30	Ø 30	1.180"	Smooth Turned	5,55	3,73	
931,00.01.33	Ø 33	1.300"	Smooth Turned	6,71	4,51	
931,00.01.45	Ø 45	1 3/4"	Smooth Turned	12,48	8,39	
931,00.01.50	Ø 50	2"	Black	15,41	10,36	
<b>DS93X™ HEIMSKRINGLA™</b>						
<b>Max length 2,5 m (8.2 ft)</b>						
931,08.01.20	Ø 20	.790"	Black	2,47	1,66	
931,08.01.25	Ø 25	1"	Black	3,85	2,59	
931,08.01.33	Ø 33	1.300"	Black	6,71	4,51	
931,08.01.45	Ø 45	1 3/4"	Black	12,48	8,39	
<b>AUSTENITIC STAINLESS DAMASCUS DS95X™</b>						
<b>ROUND BARS, Max length round bar 4 m (13 ft)</b>						
<b>DS95X™ PARALLELL LAYERS™</b>						
956,00.01.38	Ø 38	1 1/2"	Smooth Turned	8,90	5,98	While stock lasts
956,00.01.45	Ø 45	1 3/4"	Smooth Turned	12,48	8,39	While stock lasts
956,00.01.51	Ø 51	2"	Smooth Turned	16,04	10,78	While stock lasts
<b>DS95X™ DENSE TWIST™</b>						
956,02.01.15	Ø 15	.600"	Smooth Turned	1,39	0,93	Will be superseded by Ø 16 Black
956,02.01.21	Ø 21	.830"	Smooth Turned	2,72	1,83	While stock lasts
956,02.01.24	Ø 24	.950"	Smooth Turned	3,55	2,39	While stock lasts
956,02.01.25	Ø 25	1"	Smooth Turned	3,85	2,59	While stock lasts
956,02.01.27	Ø 27	1.060"	Smooth Turned	4,49	3,02	
956,02.01.34	Ø 34	1.340"	Black	7,13	4,79	
<b>DS95X™ BLUETONGUE™</b>						
951,00.01.13	Ø 13	1/2"	Smooth Turned	1,04	0,70	
951,00.01.16	Ø 16	5/8"	Smooth Turned	1,58	1,06	
951,00.01.24	Ø 24	.950"	Smooth Turned	3,55	2,39	While stock lasts
951,00.01.27	Ø 27	1.060"	Smooth Turned	4,49	3,02	
951,00.01.34	Ø 34	1.340"	Smooth Turned	7,13	4,79	
951,00.01.51	Ø 51	2"	Smooth Turned	16,04	10,78	While stock lasts
<b>DS95X™ HEIMSKRINGLA™</b>						
951,08.01.21	Ø 21	.830"	Smooth Turned	2,72	1,83	While stock lasts
951,08.01.22	Ø 22	.870"	Smooth Turned	2,98	2,01	While stock lasts
951,08.01.24	Ø 24	.950"	Smooth Turned	3,55	2,39	While stock lasts
951,08.01.25	Ø 25	1"	Smooth Turned	3,85	2,59	While stock lasts
951,08.01.32	Ø 32	1.260"	Smooth Turned	6,31	4,24	While stock lasts
951,08.01.34	Ø 34	1.340"	Black	7,13	4,79	While stock lasts

Prices are valid for delivery from our warehouse, FCA Söderfors according to INCOTERM 2010.

Prices are quoted excluding VAT and according to the terms and conditions outlined in ALBIF 2000.

The imperial measurement is for information only. All sizes are stocked in metric dimensions.

Damasteel AB  
 Stallgatan 9  
 815 76 Söderfors  
 SWEDEN

Tel: +46 293 306 00  
 Fax: +46 293 301 24  
 e-mail: sales@damasteel.se  
[www.damasteel.com](http://www.damasteel.com)