

# DAMASTEEL®

CUTTING EDGE. AND LOOKS TOO.

Article nr.	Dimension		Surface	Weight	
	mm	inch		Kg/m	lb/ft
<b>AUSTENITIC SOFT STAINLESS DAMASCENE STEEL FOR LUXURY TABLE CUTLERY, JEWELLERY, WRISTWATCHES AND PIECES OF ART, 115 - 160 layers</b>					
<b>ROUND BARS, Max length round bar 4 m (13 ft)</b>					
<b>956 STRIPES™ / PARALLELL LAYERS™ (956,00)</b>					
956,00.01.34	Ø 34	1 11/32"	Black	7,13	4,79
956,00.01.38	Ø 38	1 1/2"	Black	8,90	5,98
956,00.01.45	Ø 45	1 3/4"	Black	12,48	8,39
956,00.01.51	Ø 51	2"	Black	16,04	10,78
<b>DENSE TWIST™ (956,02) TWISTED BARS WITH PARALLELL LAYERS™</b>					
956,02.01.15	Ø 15	9/16"	Black	1,39	0,93
956,02.01.22	Ø 22	7/8"	Black	2,98	2,01
956,02.01.25	Ø 25	1"	Black	3,85	2,59
956,02.01.27	Ø 27	1 1/16"	Black	4,49	3,02
956,02.01.31	Ø 31	1 7/32"	Black	5,92	3,98
956,02.01.34	Ø 34	1 11/32"	Black	7,13	4,79
<b>951 STRIPES™ / BLUETONGUE™ (951,00)</b>					
951,00.01.13	Ø 13	1/2"	Black	1,04	0,70
951,00.01.16	Ø 16	5/8"	Black	1,58	1,06
951,00.01.24	Ø 24	15/16"	Black	3,55	2,39
951,00.01.27	Ø 27	1 1/16"	Black	4,49	3,02
951,00.01.34	Ø 34	1 11/32"	Black	7,13	4,79
951,00.01.51	Ø 51	2"	Black	16,04	10,78
<b>HEIMSKRINGLA™ (951,08) TWISTED BARS OF BLUETONGUE™</b>					
951,08.01.24	Ø 24	15/16"	Black	3,55	2,39
951,08.01.27	Ø 27	1 1/16"	Black	4,49	3,02
951,08.01.34	Ø 34	1 11/32"	Black	7,13	4,79
<b>ROUND BARS OF MARTENSITIC DAMASCENE LAMINATED STAINLESS STEEL</b>					
<b>115-160 layers for artistic forging and knife blade forging</b>					
<b>Max length 4 m. (13 ft)</b>					
<b>935 STRIPES™ / CONCENTRIC LAYERS™ (935,00)</b>					
935,00.01.20	Ø 20	25/32"	Black	2,47	1,66
935,00.01.25	Ø 25	1"	Black	3,85	2,59
935,00.01.33	Ø 33	1 5/16"	Black	6,71	4,51
935,00.01.50	Ø 50	2"	Black	15,41	10,36
<b>938 STRIPES™ / PARALLELL LAYERS™ (938,00)</b>					
938,00.01.11	Ø 11	7/16"	Black	0,75	0,50
938,00.01.17	Ø 17	11/16"	Black	1,78	1,20
938,00.01.20	Ø 20	25/32"	Black	2,47	1,66
938,00.01.25	Ø 25	1"	Black	3,85	2,59
938,00.01.33	Ø 33	1 5/16"	Black	6,71	4,51
938,00.01.45	Ø 45	1 3/4"	Black	12,48	8,39
938,00.01.50	Ø 50	2"	Black	15,41	10,36
<b>DENSE TWIST™ (938,02) TWISTED BARS WITH PARALLELL LAYERS™</b>					
<b>Max length 2,5 m (8.2 ft)</b>					
938,02.01.11	Ø 11	7/16"	Black	0,75	0,50
938,02.01.17	Ø 17	11/16"	Black	1,78	1,20
938,02.01.20	Ø 20	25/32"	Black	2,47	1,66
938,02.01.25	Ø 25	1"	Black	3,85	2,59
938,02.01.33	Ø 33	1 5/16"	Black	6,71	4,51
938,02.01.45	Ø 45	1 3/4"	Black	12,48	8,39
<b>931 STRIPES™ / BLUETONGUE™ (931,00)</b>					
<b>Max length 2,5 m</b>					
931,00.01.16	Ø 16	5/8"	Black	1,58	1,06
931,00.01.20	Ø 20	25/32"	Black	2,47	1,66
931,00.01.25	Ø 25	1"	Black	3,85	2,59
931,00.01.30	Ø 30	1 3/16"	Black	5,55	3,73
931,00.01.33	Ø 33	1 5/16"	Black	6,71	4,51
931,00.01.45	Ø 45	1 3/4"	Black	12,48	8,39
<b>HEIMSKRINGLA™ (931,08) TWISTED BARS OF BLUETONGUE™</b>					
<b>Max length 2,5 m (8.2 ft)</b>					
931,08.01.20	Ø 20	25/32"	Black	2,47	1,66
931,08.01.25	Ø 25	1"	Black	3,85	2,59
931,08.01.33	Ø 33	1 5/16"	Black	6,71	4,51
931,08.01.45	Ø 45	1 3/4"	Black	12,48	8,39

# DAMASTEEL®

CUTTING EDGE. AND LOOKS TOO.

Article nr.	Dimension		Surface	Weight	
	mm	inch		Kg/m	lb/ft

## PATTERNED MARTENSITIC DAMASCENE STEELS IN FLAT DIMENSIONS FOR KNIFE APPLICATIONS

Max length 1 meter (3.3 ft)

### ROSE (935,04)

935,04-25-26x2,5	26x2,5	1" x .100"	Ground	0,51	0,34
935,04-25-26x3,2	26x3,2	1" x 1/8"	Ground	0,65	0,44
935,04-25-26x4	26x4	1" x 5/32"	Ground	0,82	0,55
935,04-25-32x2,5	32x2,5	1 1/4" x .100"	Ground	0,63	0,42
935,04-25-32x3,2	32x3,2	1 1/4" x 1/8"	Ground	0,80	0,54
935,04-25-32x4	32x4	1 1/4" x 5/32"	Ground	1,00	0,68
935,04-25-38x2,5	38x2,5	1 1/2" x .100"	Ground	0,75	0,50
935,04-25-38x3,2	38x3,2	1 1/2" x 1/8"	Ground	0,95	0,64
935,04-25-38x4	38x4	1 1/2" x 5/32"	Ground	1,19	0,80

### ODINS EYE™ (935,05)

935,05-25-26x2,5	26x2,5	1" x .100"	Ground	0,51	0,34
935,05-25-26x3,2	26x3,2	1" x 1/8"	Ground	0,65	0,44
935,05-25-26x4	26x4	1" x 5/32"	Ground	0,82	0,55
935,05-25-32x2,5	32x2,5	1 1/4" x .100"	Ground	0,63	0,42
935,05-25-32x3,2	32x3,2	1 1/4" x 1/8"	Ground	0,80	0,54
935,05-25-32x4	32x4	1 1/4" x 5/32"	Ground	1,00	0,68
935,05-25-38x2,5	38x2,5	1 1/2" x .100"	Ground	0,75	0,50
935,05-25-38x3,2	38x3,2	1 1/2" x 1/8"	Ground	0,95	0,64
935,05-25-38x4	38x4	1 1/2" x 5/32"	Ground	1,19	0,80

### HAKKAPELLA™ (935,07)

935,07-25-26x2,5	26x2,5	1" x .100"	Ground	0,51	0,34
935,07-25-26x3,2	26x3,2	1" x 1/8"	Ground	0,65	0,44
935,07-25-26x4	26x4	1" x 5/32"	Ground	0,82	0,55
935,07-25-32x2,5	32x2,5	1 1/4" x .100"	Ground	0,63	0,42
935,07-25-32x3,2	32x3,2	1 1/4" x 1/8"	Ground	0,80	0,54
935,07-25-32x4	32x4	1 1/4" x 5/32"	Ground	1,00	0,68
935,07-25-38x2,5	38x2,5	1 1/2" x .100"	Ground	0,75	0,50
935,07-25-38x3,2	38x3,2	1 1/2" x 1/8"	Ground	0,95	0,64
935,07-25-38x4	38x4	1 1/2" x 5/32"	Ground	1,19	0,80

### LADDER (931,09)

931,09-25-26x2,5	26x2,5	1" x .100"	Ground	0,51	0,34
931,09-25-26x3,2	26x3,2	1" x 1/8"	Ground	0,65	0,44
931,09-25-26x4	26x4	1" x 5/32"	Ground	0,82	0,55
931,09-25-32x2,5	32x2,5	1 1/4" x .100"	Ground	0,63	0,42
931,09-25-32x3,2	32x3,2	1 1/4" x 1/8"	Ground	0,80	0,54
931,09-25-32x4	32x4	1 1/4" x 5/32"	Ground	1,00	0,68
931,09-25-38x2,5	38x2,5	1 1/2" x .100"	Ground	0,75	0,50
931,09-25-38x3,2	38x3,2	1 1/2" x 1/8"	Ground	0,95	0,64
931,09-25-38x4	38x4	1 1/2" x 5/32"	Ground	1,19	0,80

### DENSE TWIST™ (938,02) ca 20 turns/meter

938,02-25-26x2,5	26x2,5	1" x .100"	Ground	0,51	0,34
938,02-25-26x3,2	26x3,2	1" x 1/8"	Ground	0,65	0,44
938,02-25-26x4	26x4	1" x 5/32"	Ground	0,82	0,55
938,02-25-32x2,5	32x2,5	1 1/4" x .100"	Ground	0,63	0,42
938,02-25-32x3,2	32x3,2	1 1/4" x 1/8"	Ground	0,80	0,54
938,02-25-32x4	32x4	1 1/4" x 5/32"	Ground	1,00	0,68
938,02-25-38x2,5	38x2,5	1 1/2" x .100"	Ground	0,75	0,50
938,02-25-38x3,2	38x3,2	1 1/2" x 1/8"	Ground	0,95	0,64
938,02-25-38x4	38x4	1 1/2" x 5/32"	Ground	1,19	0,80

### BJÖRKMANS TWIST™ (938,52)

938,52-25-26x2,5	26x2,5	1" x .100"	Ground	0,51	0,34
938,52-25-26x3,2	26x3,2	1" x 1/8"	Ground	0,65	0,44
938,52-25-26x4	26x4	1" x 5/32"	Ground	0,82	0,55
938,52-25-32x2,5	32x2,5	1 1/4" x .100"	Ground	0,63	0,42
938,52-25-32x3,2	32x3,2	1 1/4" x 1/8"	Ground	0,80	0,54
938,52-25-32x4	32x4	1 1/4" x 5/32"	Ground	1,00	0,68
938,52-25-38x2,5	38x2,5	1 1/2" x .100"	Ground	0,75	0,50
938,52-25-38x3,2	38x3,2	1 1/2" x 1/8"	Ground	0,95	0,64
938,52-25-38x4	38x4	1 1/2" x 5/32"	Ground	1,19	0,80

# DAMASTEEL®

CUTTING EDGE. AND LOOKS TOO.

Article nr.	Dimension		Surface	Weight	
	mm	inch		Kg/m	lb/ft
<b>VINLAND™ (935,06)</b>					
935,06.25.26x2,5	26x2,5	1" x .100"	Ground	0,51	0,34
935,06.25.26x3,2	26x3,2	1" x 1/8"	Ground	0,65	0,44
935,06.25.26x4	26x4	1" x 5/32"	Ground	0,82	0,55
935,06.25.32x2,5	32x2,5	1 1/4" x .100"	Ground	0,63	0,42
935,06.25.32x3,2	32x3,2	1 1/4" x 1/8"	Ground	0,80	0,54
935,06.25.32x4	32x4	1 1/4" x 5/32"	Ground	1,00	0,68
935,06.25.38x2,5	38x2,5	1 1/2" x .100"	Ground	0,75	0,50
935,06.25.38x3,2	38x3,2	1 1/2" x 1/8"	Ground	0,95	0,64
935,06.25.38x4	38x4	1 1/2" x 5/32"	Ground	1,19	0,80
935,06.25.45x3,2	45x3,2	1 3/4" x 1/8"	Ground	1,13	0,76
<b>GROSSERSEN (935,03)</b>					
935,03.25.26x2,5	26x2,5	1" x .100"	Ground	0,51	0,34
935,03.25.26x3,2	26x3,2	1" x 1/8"	Ground	0,65	0,44
935,03.25.26x4	26x4	1" x 5/32"	Ground	0,82	0,55
935,03.25.32x2,5	32x2,5	1 1/4" x .100"	Ground	0,63	0,42
935,03.25.32x3,2	32x3,2	1 1/4" x 1/8"	Ground	0,80	0,54
935,03.25.32x4	32x4	1 1/4" x 5/32"	Ground	1,00	0,68
935,03.25.38x2,5	38x2,5	1 1/2" x .100"	Ground	0,75	0,50
935,03.25.38x3,2	38x3,2	1 1/2" x 1/8"	Ground	0,95	0,64
935,03.25.38x4	38x4	1 1/2" x 5/32"	Ground	1,19	0,80
<b>HEIMSKRINGLA™ (931,08)</b>					
931,08.25.26x2,5	26x2,5	1" x .100"	Ground	0,51	0,34
931,08.25.26x3,2	26x3,2	1" x 1/8"	Ground	0,65	0,44
931,08.25.26x4	26x4	1" x 5/32"	Ground	0,82	0,55
931,08.25.32x2,5	32x2,5	1 1/4" x .100"	Ground	0,63	0,42
931,08.25.32x3,2	32x3,2	1 1/4" x 1/8"	Ground	0,80	0,54
931,08.25.32x4	32x4	1 1/4" x 5/32"	Ground	1,00	0,68
931,08.25.38x2,5	38x2,5	1 1/2" x .100"	Ground	0,75	0,50
931,08.25.38x3,2	38x3,2	1 1/2" x 1/8"	Ground	0,95	0,64
931,08.25.38x4	38x4	1 1/2" x 5/32"	Ground	1,19	0,80
<b>MUNIN™ (931,77)</b>					
931,77.25.26x2,5	26x2,5	1" x .100"	Ground	0,51	0,34
931,77.25.26x3,2	26x3,2	1" x 1/8"	Ground	0,65	0,44
931,77.25.26x4	26x4	1" x 5/32"	Ground	0,82	0,55
931,77.25.32x2,5	32x2,5	1 1/4" x .100"	Ground	0,63	0,42
931,77.25.32x3,2	32x3,2	1 1/4" x 1/8"	Ground	0,80	0,54
931,77.25.32x4	32x4	1 1/4" x 5/32"	Ground	1,00	0,68
931,77.25.38x2,5	38x2,5	1 1/2" x .100"	Ground	0,75	0,50
931,77.25.38x3,2	38x3,2	1 1/2" x 1/8"	Ground	0,95	0,64
931,77.25.38x4	38x4	1 1/2" x 5/32"	Ground	1,19	0,80
<b>HUGIN™ (935,78)</b>					
935,78.25.26x2,5	26x2,5	1" x .100"	Ground	0,51	0,34
935,78.25.26x3,2	26x3,2	1" x 1/8"	Ground	0,65	0,44
935,78.25.26x4	26x4	1" x 5/32"	Ground	0,82	0,55
935,78.25.32x2,5	32x2,5	1 1/4" x .100"	Ground	0,63	0,42
935,78.25.32x3,2	32x3,2	1 1/4" x 1/8"	Ground	0,80	0,54
935,78.25.32x4	32x4	1 1/4" x 5/32"	Ground	1,00	0,68
935,78.25.38x2,5	38x2,5	1 1/2" x .100"	Ground	0,75	0,50
935,78.25.38x3,2	38x3,2	1 1/2" x 1/8"	Ground	0,95	0,64
935,78.25.38x4	38x4	1 1/2" x 5/32"	Ground	1,19	0,80
<b>ODIN HEIM™ (931,28)</b>					
931,28.25.26x2,5	26x2,5	1" x .100"	Ground	0,51	0,34
931,28.25.26x3,2	26x3,2	1" x 1/8"	Ground	0,65	0,44
931,28.25.26x4	26x4	1" x 5/32"	Ground	0,82	0,55
931,28.25.32x2,5	32x2,5	1 1/4" x .100"	Ground	0,63	0,42
931,28.25.32x3,2	32x3,2	1 1/4" x 1/8"	Ground	0,80	0,54
931,28.25.32x4	32x4	1 1/4" x 5/32"	Ground	1,00	0,68
931,28.25.38x2,5	38x2,5	1 1/2" x .100"	Ground	0,75	0,50
931,28.25.38x3,2	38x3,2	1 1/2" x 1/8"	Ground	0,95	0,64
931,28.25.38x4	38x4	1 1/2" x 5/32"	Ground	1,19	0,80

# DAMASTEEL®

CUTTING EDGE. AND LOOKS TOO.

Article nr.	Dimension		Surface	Weight	
	mm	inch		Kg/m	lb/ft
<b>GYSINGE™ (935,17)</b>					
935,17.25.26x2,5	26x2,5	1" x .100"	Ground	0,51	0,34
935,17.25.26x3,2	26x3,2	1" x 1/8"	Ground	0,65	0,44
935,17.25.26x4	26x4	1" x 5/32"	Ground	0,82	0,55
935,17.25.32x3,2	32x3,2	1 1/4" x 1/8"	Ground	0,80	0,54
935,17.25.32x4	32x4	1 1/4" x 5/32"	Ground	1,00	0,68
935,17.25.38x2,5	38x2,5	1 1/2" x .100"	Ground	0,75	0,50
935,17.25.38x3,2	38x3,2	1 1/2" x 1/8"	Ground	0,95	0,64
935,17.25.38x4	38x4	1 1/2" x 5/32"	Ground	1,19	0,80

<b>THOR™ (935,11)</b>					
935,11.25.26x2,5	26x2,5	1" x .100"	Ground	0,51	0,34
935,11.25.26x3,2	26x3,2	1" x 1/8"	Ground	0,65	0,44
935,11.25.26x4	26x4	1" x 5/32"	Ground	0,82	0,55
935,11.25.32x3,2	32x3,2	1 1/4" x 1/8"	Ground	0,80	0,54
935,11.25.32x4	32x4	1 1/4" x 5/32"	Ground	1,00	0,68
935,11.25.38x2,5	38x2,5	1 1/2" x .100"	Ground	0,75	0,50
935,11.25.38x3,2	38x3,2	1 1/2" x 1/8"	Ground	0,95	0,64
935,11.25.38x4	38x4	1 1/2" x 5/32"	Ground	1,19	0,80

## RWL34™ RAPIDLY SOLIDIFIED POWDER STEEL FOR KNIFE APPLICATIONS

Max length 3 m (9.8 ft)

903,00.21.35x14	35x14	1 3/8" x 35/64"	Black	3,85	2,58
903,00.21.32x3,2	32x3,2	1 1/4" x 1/8"	Black	0,80	0,54
903,00.21.38x2,6	38x2,6	1 1/2" x .100"	Black	0,78	0,52
903,00.21.38x3,5	38x3,5	1 1/2" x 9/64"	Black	1,04	0,70
903,00.21.38x4	38x4	1 1/2" x 5/32"	Black	1,19	0,80
903,00.21.40x5,2	40x5,2	1 37/64" x 13/64"	Black	1,63	1,10
903,00.21.50x3,2	50x3,2	2" x 1/8"	Black	1,26	0,84
903,00.21.50x7	50x7	2" x .276"	Black	2,75	1,85
903,00.21.71x3	71x3	2 3/4" x .118"	Black	1,67	1,12

## Stock products marked in grey

Prices are valid for delivery from our warehouse, FCA Söderfors according to INCOTERM 2010.  
Prices are quoted excluding VAT and according to the terms and conditions outlined in ALBIF 2000  
The imperial measurement is for information only. All sizes are stocked in metric dimensions.

Damasteel AB  
Stallgatan 9  
815 76 Söderfors  
SWEDEN

Tel: +46 293 306 00  
Fax: +46 293 301 24  
e-mail: [sales@damasteel.se](mailto:sales@damasteel.se)  
[www.damasteel.com](http://www.damasteel.com)